

Application of robots in maxillofacial surgery

Yeganeh Arian

Kerman Medical University

ygharian@yahoo.co

Abstract. Aim: The purpose of this study was to review new articles on the use of robotic surgery in maxillofacial surgery. **Method & Materials :** For the purpose of this review study, all Medline (Pubmed), Google scholar electronic resources focused on the use of robotic surgery in maxillofacial surgery in the period 1999-2021 were reviewed . **Results :** Using robots in maxillofacial surgery can reduce hospitalization time, reduce intraoperative bleeding, and improve recovery for patients, although the high cost and lack of touch can be a problem. **: Conclusion**The results of this review study show that the surgery robot can replace open surgical methods of maxillofacial surgery. Although it may not be generalized for use, patients may be assisted in areas where the surgeon may not be present.

Keywords. oral and maxilla facial surgery – robotic surgery

Introduction :

In the discussion of maxillofacial surgery, we have different classification of problems. Maxillofacial surgery patients have a variety of problems, including craniofacial deformities, cleft palate, lip, head and neck tumors, and most importantly, facial trauma. The treatment of these problems in itself will not only impose a high cost on patients and a large extent of the surgical area, it will also result in extensive and extensive reconstruction of the maxillofacial area. Maxillofacial surgeries with large incisions are performed through the trans mandibular and trans pharyngeal approach. Due to the limited surgical space and its complex anatomy, these techniques typically cause morbidity, difficulty speaking and digestion disorders(1). The introduction of robotic systems and the use of computer programs was a tremendous advancement in maxillofacial surgery. However, this device had also been used in orthopedic, urology, and gynecology surgeries prior to maxillofacial surgery(2). The Surgerian Robot was a computer-driven device with 3 arms and 6 types of freedom of movement. Each arm consists of 2 parts and 3 joints that work by guiding through the microscope or with the help of a surgeon or an automatic. The first robot device invented in honor of the great painter of the 15th century, Leonardo da Vinci, who painted an iron man in one of his paintings, was called the da vinci system.(3)

Transoral robotic surgery (TORS) was proposed and first applied clinically in maxillofacial surgery by Melder and McLeod to excise a vallecular cyst(4).

the first robotic surgical system was introduced in the mid-1980s to orient a needle for brain biopsy(5).

The first application of a robotic surgical system in maxillofacial tumors was reported by Haus et al for resection of the submandibular gland in animal models(6).

After developing robotic surgery in maxillofacial surgery, several applications in this field look like , lymph node dissection , head and neck cancer , pharynx , salivary gland tumors , obstructive sleep apnea, orthognathic surgery, cleft palate and lip and zygomatic complex fracture , were done.

several studies subsequently focused on the application of TORS in various types of neoplasms, including squamous cell carcinoma, Mucoepidermoid carcinoma, malignant melanoma, adenoidcystic carcinoma ,...(7, 8 , 9 , 10)

Advantages : Advantage of surgeon robot in maxillofacial surgery over radical surgery in laryngeal and oropharyngeal cancers, better recovery power,

The risk of tumor margin being negative, recovery without recurrence and less risk of bleeding, less chance of gastric tube and tracheostomy, etc. However, the same holds true for the rest of the Surgery's robot indications.(23)

Recovery of patients with non-smoking HPV + oropharyngeal cancers after TORS treatment was better than surgery and radiotherapy(11 , 12).

Disadvantages: Like any other method, it had its disadvantages as well as its disadvantages, including lack of tactile and proprioceptive sensation, more difficult bleeding control due to limited access, high elasticity suture,

More likely to be tongue edema than conventional surgery is due to too much pressure and too long during surgery, and perhaps the most important problem was the high cost of the device and its equipment and the large space for maintenance and the need for skilled workforce(13 , 14).

Be it along with the advantages and disadvantages of the said robot, there were a number of contraindications to the robot, including: invasive of tumor to mandible, tumor of cervical that don't need to resection , resection of base of tongue over than 50%, resection of posterior wall of pharynx .the robot had been able to suture the skin and mucosal surfaces.

And deep organ ruptures near the orbit were considered a risk with this technique(15 , 16).

Tamer Theodossy in 2003, compared the two orthognathic surgical models with conventional and robotic techniques , and observed that the robot-assisted surgical model was more accurate in vertical and anterior-posterior planes than in conventional methods(17).

David Terries in 2008, in his review article, investigated the endorobotic application of the sub mandibular and lymph node resection, resulting in shorter surgical time and better surgical quality with the robot(18).

Rohan R Walvekar in 2007, reports on the elimination of two-way oral ranulas with robotic surgery and da Vinci system, helping to preserve lingual nerve and warton 's duct with functional results(19).

Rawagichi et al in 2014, performed a stereoradiotherapy imaging with a robot full of gingival maxillary and lung cancer patients, who observed less toxicity and no recurrence in 2years follow up(20).

In Iran, in May 2019, in collaboration with Amirkabir University of Technology and Tehran University of Medical Sciences and the Vice President of Science, the design and construction of an oral maxillofacial surgery robot was undertaken.

Perform telemedicine surgery using a robot that can perform surgeries at a distance of kilometers away from the patient's location. This allow the robot to perform surgery(21).

Joo Han et al in 20 feb 2020, used from robot in his research. Surgical navigation was performed using an optical tracking system (OTS) (Polaris Spectra, Northern Digital Inc., Waterloo, ON, Canada). The OTS simultaneously tracked the tracking tools which are attached on the end-effector of the robot arm and the patient's head (the reference tracking tool). Because the end-effector, occlusal splint, and maxillary segment form one rigid body during surgery, the maxillary segment also can be tracked based on the spatial relationship between the end-effector and the maxillary segment.(22)

Wu et al in 2019, presented application of robots in dental implantology. In the United States, the first robotic dental surgery system was cleared by the Food and Drug Administration for dental implant procedures in 2017. At the end of 2017, the world's first autonomous dental implant placement system was developed by Zhao and colleagues in China. This so-called intelligent robot had a high degree of autonomy, can automatically adjust during intraoperative procedures.(24)

One of the most important issues in teleoperative surgery was touch feedback. And it reduces the ability to sense the properties of the tissue under operation.

Remote Surgery Uses: Treatment of soldiers in battlefields, treatment and in-vessel surgery for in-ship personel, surgery in remote and disadvantaged areas, and surgical operations in space, and collaborating and consulting with surgeons around the world during surgery.

Materials and Methods: Articles in pubmed, google scholar medline databases on jaw surgery in maxillofacial surgery were reviewed in 1999-2021.

A number of articles were abstract and most of them were fully available. Non-English language articles were removed.

Results: Using TORS in maxillofacial surgery can reduce blood loss, decrease surgical time, faster recovery of complex fractures, more effective treatment of cleft palate, decrease in hospital stay, decrease the risk of dysphagia during tumor surgery. Larynx and faster recovery of non-smoker HPV + patients with squamous cell carcinoma of the mouth.

But it also had to do with the high cost of the device, the careful training of staff, difficulty accessing some areas, the surgeon's sense of touch.

Conclusion: What can be concluded from this review article was that surgeon robotics as an almost emerging science, especially in the field of maxillofacial surgery, can pave the way for new treatments for the most extensive surgeries in this area. The many benefits of TORS have increased the use of this computer machine.

References

- 1-Mouret P. How I developed laparoscopic cholecystectomy. *Ann Acad Med Singapore* .1996; 25(5): 744–747.
- 2-Korb W, Marmulla R, Raczkowsky J, Muhling J, Hassfeld S. Robots in the operating theatre—chances and challenges. *Int J Oral Maxillofac Surg*. 2004;33(8):721–32. doi: 10.1016/j.ijom.2004.03.015.
- 3-Development of a Robot-Assisted Surgery System for Cranio-Maxillofacial Surgery, chapter 5, Chuanbin Guo , Jiang Deng , Xingguang Duan , Li Chen , Xiaojing Liu ,Guangyan Yu , Chengtao Wang , and Guofang Shen.
- 4-Mcleod IK, Melder PC. Da Vinci robot-assisted excision of a vallecular cyst: a case report. *Ear Nose Throat J* 2005; 84(3): 170–172.
- 5-KwohYS,HouJ,JonckheereEA et al. A robot with improved absolute positioning accuracy for CT guided stereotactic brain surgery. *IEEE Trans Biomed Eng* 1988; 35(2): 153–160.
- 6-Haus BM, Kambham N, Le D et al. Surgical robotic applications in otolaryngology. *Laryngoscope* 2003; 113(7): 1139–1144.

- 7-Weinstein Jr GS, O'Malley BW, Magnuson JS et al. Transoral robotic surgery: a multicenter study to assess feasibility, safety, and surgical margins. *Laryngoscope* 2012; 122(8): 1701–1707.
- 8-Park YM, Byeon HK, Chung HP et al. Comparison study of transoral robotic surgery and radical open surgery for hypopharyngeal cancer. *Acta Otolaryngol* 2013; 133(6): 641–648.
- 9-Park YM, Kim WS, Byeon HK et al. Oncological and functional outcomes of transoral robotic surgery for oropharyngeal cancer. *Br J Oral Maxillofac Surg* 2013; 51(5): 408–412.
- 10-Karim Hammoudi MD, Eric Pinlong MD, Soo Kim MD et al. Transoral robotic surgery versus conventional surgery in treatment for squamous cell carcinoma of the upper aerodigestive tract. *Head Neck* 2015; 37(9): 1304–1309.
- 11-Mahmoud O, Sung K, Civantos FJ et al. Transoral robotic surgery for oropharyngeal squamous cell carcinoma in the era of human papillomavirus. *Head Neck* 2018; 40(4): 710–721.
- 12-Stucken CL, de Almeida JR, Sikora AG et al. Impact of human papillomavirus and smoking on survival outcomes after transoral robotic surgery. *Head Neck* 2016; 38(3): 380–386.
- 13-Yang TL, Ko JY, Lou PJ et al. Gland-preserving robotic surgery for benign submandibular gland tumours: a comparison between robotic and open techniques. *Br J Oral Maxillofac Surg* 2014; 52(5): 420–424.
- 14-Tae K, Ji YB, Song CM et al. Robotic selective neck dissection by a postauricular facelift approach: comparison with conventional neck dissection. *Otolaryngol Head Neck Surg* 2014; 150(3): 394–400.
- 15-Weinstein GS, O'Malley BW Jr, Snyder W, et al. Transoral robotic surgery: radical tonsillectomy. *Arch Otolaryngol Head Neck Surg* 2007;133(12):1220–6.
- 16-Rogers LQ, Rao K, Malone J, et al. Factors associated with quality of life in outpatients with head and neck cancer 6 months after diagnosis. *Head Neck* 2009;31(9):1207–14.
- 17-Theodossy T, Bamber MA. Model Surgery with a passive robot arm for orthognathic surgery planning. *J Oral Maxillofac Surg* 2003;61:1310-1317.
- 18-Terris D J, Amin S H. Robotic and endoscopic surgery in head and neck. *Op Tech Otolaryng* 2008; 19:36-41.
- 19-Walvekar R R, Peters G, Hardy E, Allsfeld, Stromeyer F W, Anderson D. Robotic assisted transoral removal of a bilateral floor of mouth ranulas. *World journal of surgical oncology* 2011;78:1-10.
- 20-Kawaguchi K, Amemiya T, Shimizu H, Hamada Y. Image guided robotic stereotactic radiotherapy for synchronous cancer of maxillary gingival and lung. *Int J Oral Maxillofac Surg* 2014;43:692-695.
- 21-Tele medicine surgery conference, Department of Health Research and the power of our military Yayy Iran Remote surgery (telesurgery), May 2019.
- 22- Jeong Joon Han & et al, Department of Oral and Maxillofacial Surgery, School of Dentistry, Dental Science Research Institute, Chonnam National University, Gwangju 61186, Korea.
- 23- Dr. Chirag Patil, M.D.S, Robotics in Oral and Maxillofacial Surgery, Jun 17, 2019.
- 24- Yiqun Wu, Department of Second Dental Clinic and Oral Implantology, Ninth People's Hospital, College of Stomatology, Shanghai Jiao Tong University, School of Medicine, National Clinical Research Center for Oral Disease, Shanghai Key Laboratory of Stomatology & Shanghai Research Institute of Stomatology, 639, Zhizaoju Road, Shanghai 200011, China, 2019 May 15.